



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

www.uspto.gov

| APPLICATION NO.  | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO.              | CONFIRMATION NO.       |
|--|-------------|----------------------|----------------------------------|------------------------|
| 10/526,120   | 07/14/2005  | Kaw Yan Chua         | 11747.105002 NUS002              | 2575                   |
| 20786  | 7590        | 06/03/2008           |                                  |                        |
| KING & SPALDING LLP<br>1180 PEACHTREE STREET<br>ATLANTA, GA 30309-3521 |             |                      | EXAMINER<br>ROONEY, NORA MAUREEN |                        |
|  |             |                      | ART UNIT<br>1644                 | PAPER NUMBER           |
|  |             |                      | MAIL DATE<br>06/03/2008          | DELIVERY MODE<br>PAPER |

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

**UNITED STATES DEPARTMENT OF COMMERCE****U.S. Patent and Trademark Office**

Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450

| APPLICATION NO./<br>CONTROL NO. | FILING DATE | FIRST NAMED INVENTOR /<br>PATENT IN REEXAMINATION | ATTORNEY DOCKET NO. |
|---------------------------------|-------------|---|---------------------|
| 10526120                        | 7/14/2005   | CHUA ET AL.                                       | 11747.105002 NUS002 |

KING & SPALDING LLP  
1180 PEACHTREE STREET  
ATLANTA, GA 30309-3521

**EXAMINER**

NORA M. ROONEY

| ART UNIT | PAPER |
|----------|-------|
|----------|-------|

1644

20080602

DATE MAILED:

**Please find below and/or attached an Office communication concerning this application or proceeding.**

**Commissioner for Patents**

SEQ ID NO:52 is not the same in the specification, sequence listing and CRF. Specifically, it does not comprise the amino acids 'AMB' at the end of the peptide, as disclosed in paragraph [096] of the specification. Further, SEQ ID NO:5 does not encode SEQ ID NO:52 with AMB at the end of the peptide as disclosed in paragraph [0096]. Applicant is encouraged to check the entire specification, sequence listing and CRF for discrepancies, paying careful attention not to include any new matter with respect to the disclosed peptides.

Since the above -mention submission appears to be a bona fide attempt to reply, applicant is given a TIME PERIOD OF (1) MONTH OR THIRTY (30) DAYS, whichever is longer, from the mailing date of this notice within which to supply the omission or correction in order to avoid abandonment. EXTENSIONS OF THIS TIME PERIOD UNDER 37 CFR1.136(a) ARE AVAILABLE.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Nora M. Rooney whose telephone number is (571) 272-9937. The examiner can normally be reached Monday through Friday from 8:30 am to 5:00 pm. A message may be left on the examiner's voice mail service. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eileen O'Hara can be reached on (571) 272-0878. The fax number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

June 2, 2008  
Nora M. Rooney, M.S., J.D.  
Patent Examiner  
Technology Center 1600

